

Philips
Stereo audio cable

12 ft

SWA2086



Ensure a reliable connection

with this stereo audio cable

Depend on this cable to provide you with a reliable audio connection between components.

Enjoy good audio quality

- Nickel-plated connectors for reliable contact

Protects against signal loss

- Bare copper shielding

Easy installation

- Color coded connectors for instant recognition
- Non-slip ergonomic grip for easy use
- Plug and play for easy use

Enjoy extended durability

- Molded plug for secure connections
- Flexible PVC jacket
- Rubber strain relief

Environmentally friendly

- Environmentally friendly lead-free construction

PHILIPS
sense and simplicity

Stereo audio cable
12 ft

Specifications

Packaging

- EAN/UPC/GTIN: 6 09585 12383 0
- Quantity: 1
- Gross Weight: 0.090 kg
- Tare Weight: 0.010 kg
- Net Weight: 0.080 kg
- Length: 19.70 cm
- Width: 9.50 cm
- Height: 4.30 cm

Inner Carton

- EAN/UPC/GTIN: 1 06 09585 12383 7
- Quantity: 6
- Gross Weight: 0.510 kg
- Tare Weight: 0.050 kg

- Net Weight: 0.460 kg
- Length (cm): 28.20 cm
- Width (cm): 13.70 cm
- Height (cm): 12.50 cm

Outer Carton

- EAN/UPC/GTIN: 2 06 09585 12383 4
- Quantity: 72
- Gross Weight: 6.160 kg
- Tare Weight: 0.650 kg
- Net Weight: 5.510 kg
- Length (cm): 55.00 cm
- Width (cm): 34.30 cm
- Height (cm): 39.4 cm

SWA2086/37

Highlights

Color-coded connectors

Color coded connections make it easy to install your cable into the correct inputs and outputs

Easy grip

This non-slip grip makes connecting your components easy and ergonomically comfortable.

Plug and play

Plug and play offers easy installation of components without time-consuming installations.

Bare copper shielding

Bare copper shielding protects against signal loss.

Molded plug

Molded plugs ensure secure connections between components and offer extended durability.

Nickel-plated connectors

Nickel-plated connectors establish a clean contact between the cable and connector for a reliable connection.

Flexible PVC Jacket

Flexible PVC jacket provided protection to the delicate core of the cable. It also offers extended durability and ease of installation.

Rubber strain relief

Rubber strain relief provides a secure, yet flexible juncture between the cable and the plug.



Issue date 2009-04-11

Version: 1.0.5

12 NC: 8670 000 31219
UPC: 6 09585 13539 0

© 2009 Koninklijke Philips Electronics N.V.
All Rights reserved.

Specifications are subject to change without notice.
Trademarks are the property of Koninklijke Philips
Electronics N.V. or their respective owners.

www.philips.com